

DA-8506XS

Chlorinated Fatty Ester Lubricity & Extreme Pressure Additive

DA-8506XS is a stabilized chlorinated fatty ester designed to offer lubricity and wetting characteristics, as well as extreme pressure properties, to the fluids in which it is incorporated. It is a non-flammable, non-corrosive, low volatile liquid at room temperature.

TYPICAL PROPERTIES

Property	Typical
Chlorine, %	33
Specific Gravity, 25°C	1.16
Density, lb/gal	9.6
Viscosity @100°F, SUS	720
Viscosity @ 210°F, SUS	64
Viscosity @ 40°C, cSt	135
Viscosity @ 100°C, cSt	11
Acid Value	2
Pour Point, °F	<10
Pour Point, °C	<-12
Color, ASTM	1.5

DA-8506XS is fortified against corrosion. It is typically applied in straight and soluble oil machining, drawing and stamping fluids when a formulation requires additional wetting, lubricity or EP properties. Typical starting point formulation guidelines:

	% Weight
Straight Oil (Machining)	3-10
Straight Oil (Drawing and Stamping)	5-15
Soluble Oil (Machining)	3-10
Soluble Oil (Drawing and Stamping)	3-10

DA-8506XS may be stored in an original container or bulk storage tank. Exposure to 0°F for an extended period will cause significant viscosity increases. Recommended storage temperatures range from 80-100°F. Blending should not exceed 130°F. Prolonged exposure to temperatures in excess of 100°F may result in darkening of product and release of corrosive by-products.

The information contained on this data sheet is believed to be reliable. Since the conditions of application and use of our products are beyond our control, no warranty is expressed or implied regarding accuracy of the information, the results obtained from the use of the product, or that such use will not infringe on any patent. This information is furnished with the express condition that you will conduct your own tests to determine the suitability of the product for your particular use. (042712)

LGP-11®, LUBE-BOOSTER®, MAYCO®, PAROIL®, SUL-PERM®, SYN-CHEK®, SYNKAD®, CHLOREZ®, CHLOROWAX 40®, CHLOROWAX 50®, DOVERNOX®, DOVERPHOS®, DOVERPHOS HIPURE®, and DOVERPHOS S-9228® are federally registered trademarks of Dover Chemical Corporation.