

DOVERSPERSE H1235-P

Polyisobutylene Succinimide

Doversperse H1235-P is a polyisobutylene succinimide prepared from ~ 1200 MWT HR-PIBSA and high molecular weight amines. The starting PIBSA has been prepared via the thermal route, so there is no chlorine. The succinimide is diluted ~ 35% with 70 SUS paraffinic oil.

PIB-succinimides based on other molecular weights of conventional and HR PIBSAs in different diluents may also be offered.

$$\begin{array}{c|c} & & & \\ & & \\ & & & \\ & & & \\ & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ &$$

x = 3 minimum

TYPICAL PROPERTIES

Property	Typical Result
Appearance	Dark amber/brown liquid
Viscosity, cSt @ 100°C	200 Max
Viscosity, P @ 100°C	8000 Max
Specific Gravity, 25°C	0.90 - 0.94
Total Nitrogen, wt %	2.0 Min
TBN, mg KOH/g	55
Flashpoint, PMCC, °F	> 200

The information contained on this data sheet is believed to be reliable. Since the conditions of application and use of our products are beyond our control, no warranty is expressed or implied regarding accuracy of the information, the results obtained from the use of the product, or that such use will not infringe on any patent. This information is furnished with the express condition that you will conduct your own tests to determine the suitability of the product for your particular use. (040819)

LGP-11®, LUBE-BOOSTER®, MAYCO®, PAROIL®, SUL-PERM®, SYN-CHEK®, SYNKAD®, CHLOREZ®, CHLOROWAX 40®, CHLOROWAX 50®, DOVERNOX®, DOVERPHOS®, DOVERPHOS HIPURE®, and DOVERPHOS S-9228® are federally registered trademarks of Dover Chemical Corporation.